



CONT. 2x PANEL CLEAT. SECURE TO SUBFLOOR W/ 2 STAGGERED ROWS OF 12d GALV. NAILS @ 12" O.C. OR EQU. APPLY CONT. BEAD OF CONST. ADHESIVE BETWEEN CLEAT & SUBFLOOR. SECURE 05B PANEL SKINS TO 2x CLEAT W/ 6d GALV. NAILS @ 6" O.C. OR EQU.

STUFF TOP OF WALL PANEL W/ CONT. 2x TOP PLATE. SECURE 05B PANEL SKINS TO 2x PLATE W/ 6d GALV. NAILS @ 6" O.C. OR EQU. CAP TOP PLATE W/ 2x (RIPPED TO 6 1/2") BEARING PLATE. SECURE BEARING PLATE TO 2x BLOCKING W/ 2 STAGGERED ROWS OF 12d GALV. NAILS @ 12" O.C. OR EQU. APPLY CONT. BEAD OF CONST. ADHESIVE BETWEEN 2x MEMBERS.

APPLY CONT. BEAD OF EXPANDING FOAM SEALANT BETWEEN 2x & PANEL FOAM.

3/4" ADVANTEC OR EQU. SUBFLOOR. INSTALL PER MANUFACTURER'S SPECIFICATIONS.

APPLY CONT. BEAD OF EXPANDING FOAM SEALANT BETWEEN 2x & PANEL FOAM.

ENGINEERED FLOOR SYSTEM. SECURE TO BEARING PLATE W/ TOP-MOUNT HANGERS. INSTALL PER MANUFACTURER'S SPECIFICATIONS.

Structural Building System
 Second Floor Deck Detail
 Structural Panel - No Finish
 *
 SCALE: 1" = 1'-0"

| | | | |
|----------------------------------------------------------|----------------------|-----------------|---|
| Standard Detail Library Structural Building System | | DRAWING: | * |
| | | DRAWING NUMBER: | * |
| Second Floor Deck Detail Structural Panel - No Finish | | | |
| DRAWN BY: JTC | DRAWN BY: JTC/TGM | | |
| DRAWING DATE: 8.4.05 | PRINTED DATE: 8.4.05 | | |

