


SIP FASTENERS @ 10" O.C. OR 5 PER 4' PANEL WIDTH ALONG ENTIRE EAVE WALL.

STUFF EXPOSED PANEL EDGE W/ CONT. 2x MATERIAL. SECURE OSB PANEL SKINS TO 2x W/ 6d GALV. NAILS @ 6" O.C. OR EQU. APPLY CONT. BEAD OF EXPANDING FOAM SEALANT BETWEEN 2x & PANEL FOAM.


STUFF TOP OF WALL PANEL W/ CONT. 2x TOP PLATE. SECURE OSB PANEL SKINS TO 2x PLATE W/ 6d GALV. NAILS @ 6" O.C. OR EQU. CAP TOP PLATE W/ 2x (RIPPED TO 6 1/2") BEARING PLATE. SECURE BEARING PLATE TO 2x BLOCKING W/ 2 STAGGERED ROWS OF 12d GALV. NAILS @ 12" O.C. OR EQU. APPLY CONT. BEAD OF CONST. ADHESIVE BETWEEN 2x MEMBERS.



2x BEVELED BLOCKING. SECURE TO BEARING PLATE W/ 2 ROWS OF 12d GALV. NAILS @ 12" O.C. OR EQU. APPLY CONT. BEAD OF CONST. ADHESIVE BETWEEN 2x MEMBERS.

APPLY CONT. BEAD OF EXPANDING FOAM SEALANT BETWEEN 2x & PANEL FOAM.

Structural Building System  
 Eave Detail - Panel Roof  
 Structural Panel - No Finish  
 \*  
 SCALE: 1" = 1'-0"

 Foard <b>P A N E L</b> incorporated P.O. Box 185 , West Chesterfield , NH 03466 ( 603 ) 256 - 8800		Standard Detail Library Structural Building System		DRAWING:	*
		Eave Detail - Panel Roof Structural Panel - No Finish		DRAWING NUMBER:	*
DRAWN BY: JTC		DRAWN BY: JTC/TGM			
DRAWING DATE: 8 . 4 . 05		PRINTED DATE: 8 . 4 . 05			